

# Chevron's Ecuador Trial

## RESPECTING ECUADORIAN LAW?

*The 138 samples analyzed by the two parties so far that violate Ecuadorian law regulating Total Petroleum Hydrocarbons (TPH)\*:*

SAMPLES**	INSPECTION SITE***  (T: Texaco P: Plaintiffs)	TOTAL TPH RESULTS  (ppm)	NORM # 1  ALTERNATIVE TPH STANDARD (ppm)	NORM # 2  PERMITTED TPH UNDER ECUADORIAN LAW (Decree 1215) (ppm)	OBSERVATIONS	COMPLIANCE WITH ECUADORIAN LAW?
SSF4-PIT1-SD1-SU1-R(1,3 a 1,6)	SSF04 (P)	900,000	300	1,000	TPH exceeds EPA standard by 300,000% and decree 1215 by 90,000%	VIOLATES ECUADORIAN LAW
SSF4-PIT3-SD1-SU1-R(0,0 a 0,4)	SSF04 (P)	900,000	300	1,000	TPH exceeds EPA standard by 300,000% and decree 1215 by 90,000%	VIOLATES ECUADORIAN LAW
SSF4-A1-SD1-SU1-R(0,0 a 0,15)	SSF04 (P)	900,000	300	1,000	TPH exceeds EPA standard by 300,000% and decree 1215 by 90,000%	VIOLATES ECUADORIAN LAW
SSF-SUR-C3 (0.50-0.15 m)	SSF-SUR (P)	265,338	300	1,000	TPH exceeds EPA standard by 88,445% and decree 1215 by 26,533%	VIOLATES ECUADORIAN LAW
J1-SA51-NE2-SS1,25	SA- 51 (T)	68,430	300	1,000	TPH exceeds EPA standard by 22,809% and decree 1215 by 6,842%	VIOLATES ECUADORIAN LAW
SSF-SUR-C1 (0.30-0.60m)	SSF-SUR (P)	45,296	300	1,000	TPH exceeds EPA standard by 15,098% and decree 1215 by 4,528%	VIOLATES ECUADORIAN LAW
SSFC-A3-SD1-SU1-R-(2.4-2.8)M	SSFC (P)	44,971.8	300	1,000	TPH exceeds EPA standard by 14,991% and decree 1215 by 4,497%	VIOLATES ECUADORIAN LAW
SSFC-PIT4-SD1-SU1-R-(0.7-1.0)M	SSFC (P)	39,305.9	300	1,000	TPH exceeds EPA standard by 13,102% and decree 1215 by 3,931%	VIOLATES ECUADORIAN LAW
SA65-J1-SBC-1.40	SA- 65 (P)	37,158	300	1,000	TPH exceeds EPA standard by 12,385% and decree 1215 by 3,714%	VIOLATES ECUADORIAN LAW
SA65-CO (1.60-4.40 m)	SA- 65 (P)	33,478	300	1,000	TPH exceeds EPA standard by 11,158% and decree 1215 by 3,346%	VIOLATES ECUADORIAN LAW
SA65-P2-90-140	SA- 65 (P)	32,444	300	1,000	TPH exceeds EPA standard by 1,0813% and decree 1215 by 3,243%	VIOLATES ECUADORIAN LAW
J1-SSF-SW-PIT1-SS: 0.20	SSF-SW (T)	31,000	300	1,000	TPH exceeds EPA standard by 10,332% and decree 1215 by 3,099%	VIOLATES ECUADORIAN LAW
SA 51-NE2	SA- 51 (P)	29,657	300	1,000	TPH exceeds EPA standard by 9,885% and decree 1215 by 2,964%	VIOLATES ECUADORIAN LAW
SSF-SUR-C1-TW (0.6-0.80 m)	SSF-SUR (P)	28,051	300	1,000	TPH exceeds EPA standard by 9,349% and decree 1215 by 2,804%	VIOLATES ECUADORIAN LAW
SA-21-J1-SB2-1.2M	SA- 21 (T)	28,000	300	1,000	TPH exceeds EPA standard by 9,331% and decree 1215 by 128%	VIOLATES ECUADORIAN LAW
J1-SSFN-PIS3-(SS)-4.8M	SSF-N- (T)	27,120	300	1,000	TPH exceeds EPA standard by 9,040% and decree 1215 by 2,712%	VIOLATES ECUADORIAN LAW
J1-LAN-ESTB-A-0,4(SS)	LAGN-(T)	25,830	300	1,000	TPH exceeds EPA standard by 8,610% and decree 1215 by 2,583%	VIOLATES ECUADORIAN LAW

SAMPLES**	INSPEC- TION SITE***  (T: Texaco P: Plaintiffs)	TOTAL TPH RESULTS  (ppm)	<u>NORM # 1</u>  ALTERNATIVE TPH STANDARD (ppm)	<u>NORM # 2</u>  PERMITTED TPH UNDER ECUADORIAN LAW (Decree 1215) (ppm)	OBSERVATIONS	COMPLIANCE WITH ECUADORIAN LAW?
Jl-SAC-PIT2-S1- 2.2M(SS)	SAC(T)	24,092	300	1,000	TPH exceeds EPA standard by 8,031% and decree 1215 by 2,409%	VIOLATES ECUADORIAN LAW
SSF07-A2-SD1- SU1-R(1,3 a 1,9)	SSF07 (P)	20,974.40	300	1,000	TPH exceeds EPA standard by 6,991% and decree 1215 by 2,097%	VIOLATES ECUADORIAN LAW
SSF67-S1-E1	SSF-67 (P)	20,344	300	1,000	TPH exceeds EPA standard by 6,780% and decree 1215 by 2,033%	VIOLATES ECUADORIAN LAW
LAN-ESTB-H1	LAGN-(P)	19,645	300	1,000	TPH exceeds EPA standard by 6,548% and decree 1215 by 1,964%	VIOLATES ECUADORIAN LAW
SA-21-Jl-SB1- 0.2M	SA- 21 (T)	19,000	300	1,000	TPH exceeds EPA standard by 6,332% and decree 1215 by 1,899%	VIOLATES ECUADORIAN LAW
Jl-LAN-ESTB-A- TW-0.2	LAGN-(T)	18,180	300	1,000	TPH exceeds EPA standard by 6,060% and decree 1215 by 1,818%	VIOLATES ECUADORIAN LAW
LAN-ESTA-C	LAGN-(P)	16,984	300	1,000	TPH exceeds EPA standard by 5,661% and decree 1215 by 1,698%	VIOLATES ECUADORIAN LAW
SSF-NORTE-Jl- PIT1-SB1-0.10M	SSF-N- (T)	16,040	300	1,000	TPH exceeds EPA standard by 5,347% and decree 1215 by 1,604%	VIOLATES ECUADORIAN LAW
SSF21-PIT1- SD1-SU1-R(2 a 2,4)	SSF21 (P)	16,032.90	300	1,000	TPH exceeds EPA standard by 5,344% and decree 1215 by 1,603%	VIOLATES ECUADORIAN LAW
Jl-SSFN-PIS3- (SS)-3.0M	SSF-N- (T)	15,370	300	1,000	TPH exceeds EPA standard by 5,123% and decree 1215 by 1,537%	VIOLATES ECUADORIAN LAW
SA-65-Jl-SBC- 1.40M	SA- 65 (T)	14,254	300	1,000	TPH exceeds EPA standard by 4,750% and decree 1215 by 1,424%	VIOLATES ECUADORIAN LAW
Jl-SA-53-NW6- 0,8 M(SS)	SA- 53 (T)	14,000	300	1,000	TPH exceeds EPA standard by 4,666% and decree 1215 by 1,399%	VIOLATES ECUADORIAN LAW
SSF67-PIT1-S12	SSF-67 (P)	13,587	300	1,000	TPH exceeds EPA standard by 4,528% and decree 1215 by 1,358%	VIOLATES ECUADORIAN LAW
SSF4-PIT5-SD1- SU1-R(1,2 a 1,6)	SSF04 (P)	12,964.17	300	1,000	TPH exceeds EPA standard by 4,321% and decree 1215 by 1,296%	VIOLATES ECUADORIAN LAW
Jl-SA65-CO- 1.60M (SS)	SA- 65 (T)	12,953	300	1,000	TPH exceeds EPA standard by 4,316% and decree 1215 by 1,294%	VIOLATES ECUADORIAN LAW
SSF07-PIT2- SD1-SU2-R(2,2 a 2,4)	SSF07 (P)	12,715	300	1,000	TPH exceeds EPA standard by 4,238% and decree 1215 by 1,271%	VIOLATES ECUADORIAN LAW
SSF21-PIT1- SD2-SU1-R(1,6 a 2,0)	SSF21 (P)	12,685.4	300	1,000	TPH exceeds EPA standard by 4,228% and decree 1215 by 1,269%	VIOLATES ECUADORIAN LAW
SA65-EX-60-320	SA- 65 (P)	12,256	300	1,000	TPH exceeds EPA standard by 4,084% and decree 1215 by 1,224%	VIOLATES ECUADORIAN LAW
SSFC-A3-SD2- SU1-R-(2.2-2.6)M	SSFC (P)	11,865.4	300	1,000	TPH exceeds EPA standard by 3,955% and decree 1215 by 1,187%	VIOLATES ECUADORIAN LAW
SSF07-PIT2- SD2-SU2-R(2,3 a 2,6)	SSF07 (P)	11,215.10	300	1,000	TPH exceeds EPA standard by 3,738% and decree 1215 by 1,121%	VIOLATES ECUADORIAN LAW
SSF4-PIT5-SD2- SU2-R(1,6 a 3,3)	SSF04 (P)	10,526.82	300	1,000	TPH exceeds EPA standard by 3,509% and decree 1215 by 1,053%	VIOLATES ECUADORIAN LAW
SSFC-PIT1- SD1-SU1-R-(2.4-2.8)M	SSFC (P)	10,331	300	1,000	TPH exceeds EPA standard by 3,444% and decree 1215 by 1,033%	VIOLATES ECUADORIAN LAW
SSF-SUR-C1- 0.3-0.6M (SS)	SSF-SUR (T)	9,993	300	1,000	TPH exceeds EPA standard by 3,330% and decree 1215 by 998%	VIOLATES ECUADORIAN LAW
SSF07-PIT2- SD2-SU1-R(1,4	SSF07 (P)	9,739	300	1,000	TPH exceeds EPA standard by 3,246% and	VIOLATES ECUADORIAN LAW

SAMPLES**	INSPEC- TION SITE***  (T: Texaco P: Plaintiffs)	TOTAL TPH RESULTS  (ppm)	NORM # 1  ALTERNATIVE TPH STANDARD (ppm)	NORM # 2  PERMITTED TPH UNDER ECUADORIAN LAW (Decree 1215) (ppm)	OBSERVATIONS	COMPLIANCE WITH ECUADORIAN LAW?
a 1,8					decree 1215 by 974%	
SSF4-PIT5-SD1- SU2-R(1,6 a 2,0)	SSF04 (P)	9,508.25	300	1,000	TPH exceeds EPA standard by 3,169% and decree 1215 by 951%	VIOLATES ECUADORIAN LAW
Jl-SA51-NE2- SS0,78	SA- 51 (T)	9,080	300	1,000	TPH exceeds EPA standard by 3,025% and decree 1215 by 907%	VIOLATES ECUADORIAN LAW
SSF-SUR-C1- TW (0 m)	SSF-SUR (P)	8,941	300	1,000	TPH exceeds EPA standard by 2,979% and decree 1215 by 893%	VIOLATES ECUADORIAN LAW
SA18-NE1-1	SA- 18 (P)	8,886	300	1,000	TPH exceeds EPA standard by 2,961% and decree 1215 by 888%	VIOLATES ECUADORIAN LAW
Jl-SA51-NE2- TW1,25M	SA- 51 (T)	8,256	300	1,000	TPH exceeds EPA standard by 2,751% and decree 1215 by 824%	VIOLATES ECUADORIAN LAW
SA18-NW6-A1	SA- 18 (P)	8,065	300	1,000	TPH exceeds EPA standard by 2,687% and decree 1215 by 805%	VIOLATES ECUADORIAN LAW
SA14-C2 (0.80- 2,00 m)	SA-14 (P)	7,915	300	1,000	TPH exceeds EPA standard by 2,638% and decree 1215 by 791%	VIOLATES ECUADORIAN LAW
SH48-SE3 1,55- 1,70	SSF-48 (P)	7,800	300	1,000	TPH exceeds EPA standard by 2,599% and decree 1215 by 779%	VIOLATES ECUADORIAN LAW
Jl-SA85-NW2- 0,6M	SA- 85 (T)	7,570	300	1,000	TPH exceeds EPA standard by 2,522% and decree 1215 by 756%	VIOLATES ECUADORIAN LAW
SA65-P1 120- 360	SA- 65 (P)	7,519	300	1,000	TPH exceeds EPA standard by 2,505% and decree 1215 by 750%	VIOLATES ECUADORIAN LAW
SSF-SUR-C5 (0.65-1.10 m)	SSF-SUR (P)	7,450	300	1,000	TPH exceeds EPA standard by 2,482% and decree 1215 by 744%	VIOLATES ECUADORIAN LAW
SSF08-PIT2-S11	SSF-08 (P)	7,350	300	1,000	TPH exceeds EPA standard by 2,450% and decree 1215 by 735%	VIOLATES ECUADORIAN LAW
LAN-PT1-C1	LAGN-(P)	7,140	300	1,000	TPH exceeds EPA standard by 2,380% and decree 1215 by 714%	VIOLATES ECUADORIAN LAW
Jl-LAN-ESTB-D- SS-0,2M	LAGN-(T)	7,110	300	1,000	TPH exceeds EPA standard by 2,370% and decree 1215 by 711%	VIOLATES ECUADORIAN LAW
LAN-ESTB-D2	LAGN-(P)	7,11	300	1,000	TPH exceeds EPA standard by 2,337% and decree 1215 by 701%	VIOLATES ECUADORIAN LAW
Jl-SAC-PIT1-S2- 1,4M(SS)	SAC(T)	6,324	300	1,000	TPH exceeds EPA standard by 2,108% and decree 1215 by 632%	VIOLATES ECUADORIAN LAW
Jl-SA51-NE2- TW0,75M	SA- 51 (T)	6,020	300	1,000	TPH exceeds EPA standard by 2,006% and decree 1215 by 601%	VIOLATES ECUADORIAN LAW
Jl-SA53-NW6- 6,28 M (SS)	SA- 53 (T)	5,700	300	1,000	TPH exceeds EPA standard by 1,899% and decree 1215 by 569%	VIOLATES ECUADORIAN LAW
Jl-SA65-EX0.6M (SS)	SA- 65 (T)	5,642	300	1,000	TPH exceeds EPA standard by 1,880% and decree 1215 by 563%	VIOLATES ECUADORIAN LAW
SSF07-PIT2- SD3-SU1-R(1 a 2,4)	SSF07 (P)	5,615.40	300	1,000	TPH exceeds EPA standard by 1,872% and decree 1215 by 562%	VIOLATES ECUADORIAN LAW
SA-53-Jl-SB2- 4,0 M	SA- 53 (T)	5,600	300	1,000	TPH exceeds EPA standard by 1,866% and decree 1215 by 559%	VIOLATES ECUADORIAN LAW
SSF07-A2-SD2- SU1-R(1,0 a 1,5)	SSF07 (P)	5,462.50	300	1,000	TPH exceeds EPA standard by 1,821% and decree 1215 by 546%	VIOLATES ECUADORIAN LAW
SSF-08-PIT2-S3	SSF-08 (P)	5,448	300	1,000	TPH exceeds EPA standard by 1,816% and decree 1215 by 545%	VIOLATES ECUADORIAN LAW
SH48 SE3 2,75-	SSF-48 (P)	5,400	300	1,000	TPH exceeds EPA	VIOLATES

SAMPLES**	INSPEC- TION SITE***  (T: Texaco P: Plaintiffs)	TOTAL TPH RESULTS  (ppm)	<u>NORM # 1</u>  ALTERNATIVE TPH STANDARD (ppm)	<u>NORM # 2</u>  PERMITTED TPH UNDER ECUADORIAN LAW (Decree 1215) (ppm)	OBSERVATIONS	COMPLIANCE WITH ECUADORIAN LAW?
3.05					standard by 1,799% and decree 1215 by 539%	ECUADORIAN LAW
LAN-ESTB- ASUE1	LAGN-(P)	5,391	300	1,000	TPH exceeds EPA standard by 1,797% and decree 1215 by 539%	VIOLATES ECUADORIAN LAW
SSF07-A1-SD1- SU1-R(2,2 a 2,6)	SSF07 (T)	5,333.50	300	1,000	TPH exceeds EPA standard by 1,778% and decree 1215 by 533%	VIOLATES ECUADORIAN LAW
Jl-SA94-SW5- SS-3.05M	SA- 94 (T)	5,000	300	1,000	TPH exceeds EPA standard by 1,666% and decree 1215 by 499%	VIOLATES ECUADORIAN LAW
SSFC-PIT1- SD2-SU1-R-(2.0- 2.6)M	SSFC (P)	4,881.4	300	1,000	TPH exceeds EPA standard by 1,627% and decree 1215 by 488%	VIOLATES ECUADORIAN LAW
Jl-SA18-NW5-B- 2.4MSS	SA- 18 (T)	4,867	300	1,000	TPH exceeds EPA standard by 1,621% and decree 1215 by 486%	VIOLATES ECUADORIAN LAW
Jl-SSFN-RBC4- 0M (SS)	SSF-N- (T)	4,700	300	1,000	TPH exceeds EPA standard by 1,567% and decree 1215 by 470%	VIOLATES ECUADORIAN LAW
SSF-S-SED-RIO 2	SSF-SUR (P)	4,432	300	1,000	TPH exceeds EPA standard by 1,476% and decree 1215 by 442%	VIOLATES ECUADORIAN LAW
LAN-ESTB-E1	LAGN-(P)	4,288	300	1,000	TPH exceeds EPA standard by 1,429% and decree 1215 by 429%	VIOLATES ECUADORIAN LAW
Jl-SA65-P2-0.9M (SS)	SA- 65 (T)	4,241	300	1,000	TPH exceeds EPA standard by 1,413% and decree 1215 by 423%	VIOLATES ECUADORIAN LAW
LAN-ESTB-F2	LAGN-(P)	4,202	300	1,000	TPH exceeds EPA standard by 1,400% and decree 1215 by 420%	VIOLATES ECUADORIAN LAW
NW6 – 5.55-5.95	SA- 53 (P)	4,080	300	1,000	TPH exceeds EPA standard by 1,359% and decree 1215 by 407%	VIOLATES ECUADORIAN LAW
SA18-NW6-A2	SA- 18 (P)	4,076	300	1,000	TPH exceeds EPA standard by 1,358% and decree 1215 by 407%	VIOLATES ECUADORIAN LAW
SA85-W4-S1	SA- 85 (P)	4,017	300	1,000	TPH exceeds EPA standard by 1,338% and decree 1215 by 401%	VIOLATES ECUADORIAN LAW
Jl-SA53-NW6- 5.6 M (SS)	SA- 53 (T)	3,600	300	1,000	TPH exceeds EPA standard by 1,199% and decree 1215 by 359%	VIOLATES ECUADORIAN LAW
SSF21-PIT1- SD1-SU2-R(3 a 3,6)	SSF21 (P)	3,512.5	300	1,000	TPH exceeds EPA standard by 1,171% and decree 1215 by 351%	VIOLATES ECUADORIAN LAW
Jl-SSFN-RBC5- (SS)-0.4m	SSF-N- (T)	3,450	300	1,000	TPH exceeds EPA standard by 1,150% and decree 1215 by 345%	VIOLATES ECUADORIAN LAW
SSF-SUR-Jl-C1- TW-0.6M	SSF-SUR (T)	3,351	300	1,000	TPH exceeds EPA standard by 1,116% and decree 1215 by 335%	VIOLATES ECUADORIAN LAW
SSF21-PIT2- SD2-SU1-R(3,0 a 3,4)	SSF21 (P)	3,132.60	300	1,000	TPH exceeds EPA standard by 1,044% and decree 1215 by 313%	VIOLATES ECUADORIAN LAW
NW6 – 6.28-6.80	SA- 53 (P)	2,988	300	1,000	TPH exceeds EPA standard by 995% and decree 1215 by 297%	VIOLATES ECUADORIAN LAW
SSF07-A2-SD1- SU2-R(3,8 a 4,2)	SSF07 (P)	2,918.70	300	1,000	TPH exceeds EPA standard by 973% and decree 1215 by 292%	VIOLATES ECUADORIAN LAW
SH48-N3 1.0 - 1.20	SSF-48 (P)	2,700	300	1,000	TPH exceeds EPA standard by 899% and decree 1215 by 269%	VIOLATES ECUADORIAN LAW
LAN-ESTB-B2	LAGN-(P)	2,636	300	1,000	TPH exceeds EPA standard by 879% and decree 1215 by 264%	VIOLATES ECUADORIAN LAW
SH48-SW3 0,85 -1,31	SSF-48 (P)	2,500	300	1,000	TPH exceeds EPA standard by 833% and decree 1215 by 249%	VIOLATES ECUADORIAN LAW

SAMPLES**	INSPEC- TION SITE***  (T: Texaco P: Plaintiffs)	TOTAL TPH RESULTS  (ppm)	<u>NORM # 1</u>  ALTERNATIVE TPH STANDARD (ppm)	<u>NORM # 2</u>  PERMITTED TPH UNDER ECUADORIAN LAW (Decree 1215) (ppm)	OBSERVATIONS	COMPLIANCE WITH ECUADORIAN LAW?
LAN-ESTB-F1	LAGN-(P)	2,462	300	1,000	TPH exceeds EPA standard by 821% and decree 1215 by 246%	VIOLATES ECUADORIAN LAW
SA-57-JI-SE2-TW-1,20M	SA- 57 (T)	2,430	300	1,000	TPH exceeds EPA standard by 809% and decree 1215 by 242%	VIOLATES ECUADORIAN LAW
Ji-SAC-PIT1-S1-0.4M(SS)	SAC(T)	2,315	300	1,000	TPH exceeds EPA standard by 772% and decree 1215 by 231%	VIOLATES ECUADORIAN LAW
Ji-SA18-NE1-SS	SA- 18 (T)	2,300	300	1,000	TPH exceeds EPA standard by 766% and decree 1215 by 229%	VIOLATES ECUADORIAN LAW
Ji-SSFN-PIS3B-4.0M (SS)	SSF-N- (T)	2,270	300	1,000	TPH exceeds EPA standard by 757% and decree 1215 by 227%	VIOLATES ECUADORIAN LAW
SA14-C1 (0.5-1,10 m)	SA-14 (P)	2,239	300	1,000	TPH exceeds EPA standard by 746% and decree 1215 by 224%	VIOLATES ECUADORIAN LAW
Ji-SAC-PIT1-S1-1.75M(SS)	SAC(T)	2,218	300	1,000	TPH exceeds EPA standard by 739% and decree 1215 by 222%	VIOLATES ECUADORIAN LAW
SSF67-PIT1-S21	SSF-67 (P)	2,202	300	1,000	TPH exceeds EPA standard by 733% and decree 1215 by 219%	VIOLATES ECUADORIAN LAW
Ji-SSF-07-PIT2-SBC	SSF-07 (T)	2,115	300	1,000	TPH exceeds EPA standard by 705% and decree 1215 by 211%	VIOLATES ECUADORIAN LAW
LAN-ESTA-B	LAGN-(P)	2,113	300	1,000	TPH exceeds EPA standard by 704% and decree 1215 by 211%	VIOLATES ECUADORIAN LAW
Ji-LAN-ESTA-C-0.4M(SS)	LAGN-(T)	2,057	300	1,000	TPH exceeds EPA standard by 686% and decree 1215 by 206%	VIOLATES ECUADORIAN LAW
Ji-SA51-N2-TW1.25M	SA- 51 (T)	2,022	300	1,000	TPH exceeds EPA standard by 673% and decree 1215 by 201%	VIOLATES ECUADORIAN LAW
SH48-SW2 1,2 - 1,3	SSF-48 (P)	2,000	300	1,000	TPH exceeds EPA standard by 666% and decree 1215 by 199%	VIOLATES ECUADORIAN LAW
SA-53-Ji-SB1-(8OCM)	SA- 53 (T)	2,000	300	1,000	TPH exceeds EPA standard by 666% and decree 1215 by 199%	VIOLATES ECUADORIAN LAW
Ji-LAN-ESTA-D-0.8M	LAGN-(T)	1,982	300	1,000	TPH exceeds EPA standard by 661% and decree 1215 by 198%	VIOLATES ECUADORIAN LAW
SSF-08-PIT2-S5	SSF-08 (P)	1,960	300	1,000	TPH exceeds EPA standard by 653% and decree 1215 by 196%	VIOLATES ECUADORIAN LAW
SSF21-PIT2-SD1-SU1-R(1,2 a 1,6)	SSF21 (P)	1,945.10	300	1,000	TPH exceeds EPA standard by 648% and decree 1215 by 194%	VIOLATES ECUADORIAN LAW
Ji-SA-53-NW6-4.15 M(SS)	SA- 53 (T)	1,900	300	1,000	TPH exceeds EPA standard by 632% and decree 1215 by 189%	VIOLATES ECUADORIAN LAW
SSF4-PIT5-SD2-SU1-R(1,0 a 1,4)	SSF04 (P)	1,795.3	300	1,000	TPH exceeds EPA standard by 598% and decree 1215 by 180%	VIOLATES ECUADORIAN LAW
Ji-LAN-ESTB-I-0.0M(SS)	LAGN-(T)	1,770	300	1,000	TPH exceeds EPA standard by 590% and decree 1215 by 177%	VIOLATES ECUADORIAN LAW
Ji-SH48-SW3-SB1 (1.37M)	SSF-48 (T)	1,758	300	1,000	TPH exceeds EPA standard by 585% and decree 1215 by 175%	VIOLATES ECUADORIAN LAW
Ji-LAN-ESTB-E-0.05M(SS)	LAGN-(T)	1,712	300	1,000	TPH exceeds EPA standard by 571% and decree 1215 by 171%	VIOLATES ECUADORIAN LAW
LAN-ESTB-SED1	LAGN-(P)	1,712	300	1,000	TPH exceeds EPA standard by 571% and decree 1215 by 171%	VIOLATES ECUADORIAN LAW
Ji-S10-SE2-TW-0.2M	SA- 10 (T)	1,700	300	1,000	TPH exceeds EPA standard by 566% and	VIOLATES ECUADORIAN LAW

SAMPLES**	INSPEC- TION SITE***  (T: Texaco P: Plaintiffs)	TOTAL TPH RESULTS  (ppm)	<u>NORM # 1</u>  ALTERNATIVE TPH STANDARD (ppm)	<u>NORM # 2</u>  PERMITTED TPH UNDER ECUADORIAN LAW (Decree 1215) (ppm)	OBSERVATIONS	COMPLIANCE WITH ECUADORIAN LAW?
					decree 1215 by 169%	
SH48-SE4 2.20- 2.40	SSF-48 (P)	1,700	300	1,000	TPH exceeds EPA standard by 566% and decree 1215 by 169%	VIOLATES ECUADORIAN LAW
SH48-SE3 2.28- 2.55	SSF-48 (P)	1,600	300	1,000	TPH exceeds EPA standard by 532% and decree 1215 by 159%	VIOLATES ECUADORIAN LAW
SA-53-JI-SB1- 3.93 M	SA- 53 (T)	1,600	300	1,000	TPH exceeds EPA standard by 532% and decree 1215 by 159%	VIOLATES ECUADORIAN LAW
Ji-SSFN-PIS4- (SS)-1.2M	SSF-N- (T)	1,523	300	1,000	TPH exceeds EPA standard by 508% and decree 1215 by 152%	VIOLATES ECUADORIAN LAW
SA18-SE3	SA- 18 (P)	1,523	300	1,000	TPH exceeds EPA standard by 506% and decree 1215 by 151%	VIOLATES ECUADORIAN LAW
Ji-SH48-SE3-SS (2.75M)	SSF-48 (T)	1,508	300	1,000	TPH exceeds EPA standard by 502% and decree 1215 by 150%	VIOLATES ECUADORIAN LAW
SSF-08-PIT2- S4.1	SSF-08 (P)	1,503	300	1,000	TPH exceeds EPA standard by 501% and decree 1215 by 150%	VIOLATES ECUADORIAN LAW
SSF-SUR-JI- SB7 - 0.7m	SSF-SUR (T)	1,476	300	1,000	TPH exceeds EPA standard by 491% and decree 1215 by 146%	VIOLATES ECUADORIAN LAW
SA 51-N2	SA- 51 (P)	1,445	300	1,000	TPH exceeds EPA standard by 481% and decree 1215 by 143%	VIOLATES ECUADORIAN LAW
Ji-SA18-SE3- 0.8MSS	SA- 18 (T)	1,424	300	1,000	TPH exceeds EPA standard by 474% and decree 1215 by 141%	VIOLATES ECUADORIAN LAW
SSF67- PANTANO2-S1	SSF-67 (P)	1,398	300	1,000	TPH exceeds EPA standard by 465% and decree 1215 by 139%	VIOLATES ECUADORIAN LAW
SA14-P3 (0.10- 0.8 m)	SA – 14 (P)	1,395	300	1,000	TPH exceeds EPA standard by 465% and decree 1215 by 139%	VIOLATES ECUADORIAN LAW
SSFC-PIT4- SD1-SU2-R-(2.8- 3.2)M	SSFC (P)	1,352.7	300	1,000	TPH exceeds EPA standard by 451% and decree 1215 by 135%	VIOLATES ECUADORIAN LAW
Ji-LAN-ESTB-A- 1.4(SS)	LAGN-(T)	1,302	300	1,000	TPH exceeds EPA standard by 434% and decree 1215 by 130%	VIOLATES ECUADORIAN LAW
SA-006, SA-6-JI- SB1-1.3M	SA- 6 (T)	1,300	300	1,000	TPH exceeds EPA standard by 431% and decree 1215 by 128%	VIOLATES ECUADORIAN LAW
SSF08-PIT1-S6	SSF-08 (P)	1,263	300	1,000	TPH exceeds EPA standard by 421% and decree 1215 by 126%	VIOLATES ECUADORIAN LAW
Ji-SA94-SW5- SS-3.80M	SA- 94 (T)	1,200	300	1,000	TPH exceeds EPA standard by 399% and decree 1215 by 119%	VIOLATES ECUADORIAN LAW
SA14-P2 (1.0- 1.50 m)	SA – 14 (P)	1,149	300	1,000	TPH exceeds EPA standard by 383% and decree 1215 by 115%	VIOLATES ECUADORIAN LAW
NW5 – 3.0-3.40	SA- 53 (P)	1,148	300	1,000	TPH exceeds EPA standard by 382% and decree 1215 by 114%	VIOLATES ECUADORIAN LAW
Ji-SA94-SW5- SS-2.30M	SA- 94 (T)	1,100	300	1,000	TPH exceeds EPA standard by 366% and decree 1215 by 109%	VIOLATES ECUADORIAN LAW
Ji-SA51-N2- SS1.25M	SA- 51 (T)	1,059	300	1,000	TPH exceeds EPA standard by 352% and decree 1215 by 105%	VIOLATES ECUADORIAN LAW
SA65-JI-SB6 (0.00 m)	SA- 65 (P)	1,058	300	1,000	TPH exceeds EPA standard by 352% and decree 1215 by 105%	VIOLATES ECUADORIAN LAW
Ji-SH48-SW3- SB1 (1M)	SSF-48 (T)	1,010	300	1,000	TPH exceeds EPA standard by 432% and decree 1215 by 100%	VIOLATES ECUADORIAN LAW
SSF08-PIT1-S2	SSF-08 (P)	1,007	300	1,000	TPH exceeds EPA	VIOLATES

SAMPLES**	INSPEC- TION SITE***  (T: Texaco P: Plaintiffs)	TOTAL TPH RESULTS  (ppm)	<u>NORM # 1</u>  ALTERNATIVE TPH STANDARD (ppm)	<u>NORM # 2</u>  PERMITTED TPH UNDER ECUADORIAN LAW (Decree 1215) (ppm)	OBSERVATIONS	COMPLIANCE WITH ECUADORIAN LAW?
					standard by 336% and decree 1215 by 101%	ECUADORIAN LAW
Jl-SAC-EST-S1- 2.2M(SS)	SAC(T)	1,004.5	300	1,000	TPH exceeds EPA standard by 335% and decree 1215 by 100%	VIOLATES ECUADORIAN LAW
SA85-N1-2	SA- 85 (P)	1,003	300	1,000	TPH exceeds EPA standard by 333% and decree 1215 by 99%	VIOLATES ECUADORIAN LAW

\*Of the 138 samples, 58 are from Texaco and 80 from the plaintiffs. The figures here are only for TPHs, which are considered to be a representative indicator for measuring toxic contamination. There are many other samples analyzed by the two parties that also violate laws regulating levels of other contaminants but which have not been included in this table.

\*\* The nomenclature for these samples has been set according to criteria established by each of the parties.

\*\*\*Samples marked with the letter "T" are from Texaco and those with "P" are from the plaintiffs.